



COPY OF PAPERS
ORIGINALLY FILED

sector 11
PATENT
Attorney Docket No. UM-06617

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Michael D. Uhler
Serial No.: 09/960,454
Filed: 09/21/2001
Entitled: Surface Transfection And Expression Procedure

Group No.:
Examiner:

RESPONSE TO NOTICE TO FILE MISSING PARTS

Attention: Box Missing Parts
Assistant Commissioner for Patents
Washington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on January 7, 2002.

By: *Mary Ellen Waite*
Mary Ellen Waite

Sir or Madam:

In response to the Notice to File Missing Parts of Application -- Filing Date Granted (Form PTO-1533) mailed 10/19/01 (a copy of which is enclosed), applicant submits the following documents:

- ▶ Executed declaration or oath
- ▶ an Assignment document for recording whereby the subject application and the invention disclosed therein is assigned to Regents of the University of Michigan, 3003 South State Street, Ann Arbor, MI 48109-8202 and a Recordation Form Cover Sheet -- Patents Only (Form PTO-1595)
- ▶ Petition for extension of time for filing within the first month

A check in the amount of \$160.00 is enclosed herewith to cover:

\$65.00 surcharge for filing missing parts of an application

\$40.00 recordation fee

\$55.00 for filing a one month extension of time

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated: January 7, 2002

Jaen Andrews
Jaen Andrews
Registration No. 35,051

MEDLEN & CARROLL, LLP
101 Howard Street, Suite 305
San Francisco, California 94105
415/904-6500